



# ATTESTATION

## of conformity with European Directives

BV LCIE CHINA Number N°2466AB06ABUV55143-N1  
Product Split type air conditioner  
Reference Refer to model list

Trade mark **Haier** **DIJITSU** **Tronic** **OLEFINI** **SUNNY**  
**UGUR** **FUJIPLUS<sup>++</sup>**

Issued to Qingdao Haier Air Conditioner General Corp. Ltd  
Address No.1 Haier Road, Hi-Tech Zone, Qingdao 266101, P.R. China  
Manufacturer Qingdao Haier Air Conditioner General Corp. Ltd  
Address No.1 Haier Road, Hi-Tech Zone, Qingdao 266101, P.R. China  
Technical characteristics AC 220-240V, 50Hz

The submitted sample of the above equipment has been tested according to following European Directive and following standards:  
RE Directive 2014/53/EU

Standards	Report number	Report date
Article 3.1(a) Safety: EN 60335-1:2012 +A11:2014 +A13:2017 +A1:2019 +A14:2019 +A2:2019+ A15:2021 +A16:2023 EN 60335-2-40:2003 +A11:2004 +A12:2005 +A1:2006 +A2:2009 + A13:2012	ABUV-ESH-P24052466-A1	2025/01/15
Article 3.1(a) Health: EN IEC 62311: 2020, EN 50665:2017	ABUV-ESH-P24052467B-4-A1	2025/01/15
Article 3.1(b) EMC: EN IEC 55014-1:2021, EN IEC 55014-2:2021 EN IEC 61000-3-2:2019+A1:2021+A2:2024, EN 61000-3-3:2013+A1:2019+A2:2021 EN 301 489-1 V2.2.3(2019-11), EN 301 489-17 V3.2.4(2020-09)	ABUV-ESH-P24052467B-1-A1 ABUV-ESH-P24052467B-2-A1	2025/01/15 2025/01/15
Article 3.2 Radio: EN 300 328 V2.2.2 (2019-07)	ABUV-ESH-P24052467B-3-A1	2025/01/15

The referred test report(s) show that the product complies with standard(s) recognized as giving presumption of compliance with the essential requirements in the specified European Directive

This verification does not imply assessment of the production of the product

Shanghai (P.R. China), Jan.15, 2025.

Daniel SUN

Operation Manager

This document shall not be reproduced, except in full, without the written approval of BV LCIE China. Information given in this document is related to the tested specimen of the described electrical sample.



**BUREAU  
VERITAS**

Model list

220-240V~, 50Hz, Class I, IPX4 for outdoor unit, IPX0 for indoor unit, Max. pressure: 4,3MPa, T1				
Model No.	Rated power input	Rated current input	Refrigerant	Trademark
AS24TDRHRA (Indoor unit) with 1U24MRAFRA (Outdoor unit)	2,30kW	10,5A	R32/0,90kg	<b>Haier</b>
AS24PDAHRA (Indoor unit) with 1U24MRAFRA (Outdoor unit)	2,30kW	10,5A	R32/0,90kg	<b>Haier</b>
TRK24INVDMEI (Indoor unit) with TRK24INVDMEO (Outdoor unit)	2,2kW cooling 2,3kW heating	/	R32/0,90kg	<b>Trönic</b>
OLE-24DIH (Indoor unit) with OLE-24DIH (Outdoor unit)	2,2kW cooling 2,3kW heating	/	R32/0,90kg	<b>OLEFINI</b>
AS68PDAHRA (Indoor unit) with 1U68MRAFRA (Outdoor unit)	2,20kW	10,0A	R32/0,90kg	<b>Haier</b>
AS68RDAHRA (Indoor unit) with 1U68MRAFRA (Outdoor unit)	2,20kW	10,0A	R32/0,90kg	<b>Haier</b>
AS68RDAHRA-TU (Indoor unit) with 1U68MRAFRA-TU (Outdoor unit)	2,30kW	10,5A	R32/0,90kg	<b>Haier</b>
AS68RDAHRA (Indoor unit) with 1U68MRAFRA-1 (Outdoor unit)	2,30kW	10,5A	R32/0,90kg	<b>Haier</b>
AS24RDAHRA (Indoor unit) with 1U24MRAFRA-1 (Outdoor unit)	2,30kW	10,5A	R32/0,90kg	<b>Haier</b>
TORNADO24000I (Indoor unit) with TORNADO24000O (Outdoor unit)	2,30kW	10,5A	R32/0,90kg	<b>D I J I T S U</b>
AS68RDAHRA-TR (Indoor unit) with 1U68MRAFRA-TR (Outdoor unit)	2,30kW	10,5A	R32/0,90kg	<b>Haier</b>
AS68RDAHRA-3 (Indoor unit) with 1U68MRAFRA-3 (Outdoor unit)	2,30kW	10,5A	R32/0,90kg	<b>Haier</b>
AS68RDAHRA-4 (Indoor unit) with 1U68MRAFRA-4 (Outdoor unit)	2,30kW	10,5A	R32/0,90kg	<b>Haier</b>
<b>SN9KLM24000I (Indoor unit) with SN9KLM24000O (Outdoor unit)</b>	<b>2,30kW</b>	<b>10,5A</b>	<b>R32/0,90kg</b>	<b>SUNNY</b>
<b>UIS 241 I R323 (Indoor unit) with UIS 241 O R323 (Outdoor unit)</b>	<b>2,30kW</b>	<b>10,5A</b>	<b>R32/0,90kg</b>	<b>UGUR</b>
<b>FP-24HR/25 (Indoor unit) with FP-24HRD/25 (Outdoor unit)</b>	<b>2,30kW</b>	<b>10,5A</b>	<b>R32/0,90kg</b>	<b>FUJJIPLUS+</b>



**BUREAU  
VERITAS**

220-240V~, 50Hz, Class I, IPX4 for outdoor unit, IPX0 for indoor unit, Max. pressure: 4,3MPa, T1

Model No.	Rated power input	Rated input current	Refrigerant	Trademark
<b>FP-24HRS/25 (Indoor unit) with FP-24HRSD/25 (Outdoor unit)</b>	<b>2,30kW</b>	<b>10,5A</b>	<b>R32/0,90kg</b>	<b>FUJiPLUS<sup>++</sup></b> <small>AIR CONDITIONER SYSTEM</small>
<b>FP-24HRB/25 (Indoor unit) with FP-24HRBD/25 (Outdoor unit)</b>	<b>2,30kW</b>	<b>10,5A</b>	<b>R32/0,90kg</b>	<b>FUJiPLUS<sup>++</sup></b> <small>AIR CONDITIONER SYSTEM</small>